


 中国认可
 检测
 TESTING
 CNAS L3788

Analytical Report

Sample Code	502-2020-00113492	Report date	27-Dec-2020
Certificate No.	AR-20-SU-092990-01		


Xi'an Nature Choice Co.,Ltd

 Rm.10802,9Building,
 Wangxiqu,Shifeng Jiangxihuadu,
 YanhuanRoad,Xi'an ,China

Our reference:	502-2020-00113492/ AR-20-SU-092990-01
Client Sample Code:	ZT-2012-HJT-002
Sample described as:	Organic Rhodiola rosea root
Sample Packaging:	Sealed plastic bag
Sample reception date:	22-Dec-2020
Analysis Starting Date:	22-Dec-2020
Analysis Ending Date:	26-Dec-2020

Arrival Temperature (°C)	20.2	Sample Weight	70g
Sample Type	Solid		

		Results	Unit	LOQ	LOD
# SUS32	Pesticide Screening(LC) Method: BS EN 15662:2018	<LOQ	mg/kg		
	Screened pesticides				
# SUS37	Pesticide Screening(GC) Method: BS EN 12393:2013	0.012	mg/kg	0.01	
	△ Acetochlor	<LOQ	mg/kg		
	Other screened pesticides				

List of screened molecules (* = limit of quantification)

SUS32 Pesticide Screening(LC) (130 parameters)(LOQ* mg/kg)					
△ 3-Hydroxycarbofuran (0.01)	△ Abamectin (Sum) ()	△ Acephate (0.05)	△ Acetamiprid (0.01)	△ Alachlor (0.05)	△ Aldicarb (0.05)
△ Aldicarb (Sum) ()	△ Aldicarb-sulfone (0.01)	△ Aldicarb-sulfoxide (0.05)	△ Amitraz (0.01)	△ Avermectin B1a (0.01)	△ Avermectin B1b (0.01)
△ Azinphos-methyl (0.05)	△ Azoxystrobin (0.01)	△ Benalaxyl including other mixtures of constituent (0.01)	△ Bendiocarb (0.01)	△ Benoxacor (0.01)	△ Bensulfuron methyl (0.01)
△ Bentazone (0.01)	△ Bitertanol (0.01)	△ Boscalid (0.01)	△ Bupirimate (0.01)	△ Buprofezin (0.01)	△ Carbaryl (0.01)
△ Carbendazim (0.01)	△ Carbendazim/Benomyl (sum) (0.01)	△ Carbofuran (0.01)	△ Carbofuran (sum) ()	△ Carbosulfan (0.01)	△ Carfentrazone-ethyl (0.01)
△ Chlorantraniliprole (0.01)	△ Chlorobenzuron (0.01)	△ Chlorpyrifos (-ethyl) (0.01)	△ Chromafenozide (0.05)	△ Clethodin (0.01)	△ Clofentezine (0.01)
△ Clothianidin (0.01)	△ Cymoxanil (0.02)	△ Cyproconazole (0.01)	△ Cyromazine (0.05)	△ Demeton-S-methyl (0.01)	△ Demeton-S-methyl-sulfone (0.01)
△ Diazinon (0.01)	△ Diethofencarb (0.01)	△ Difenconazole (0.01)	△ Diflubenzuron (0.01)	△ Diflufenican (0.01)	△ Dimethoate (0.01)
△ Dimethomorph (0.01)	△ Diniconazole (0.02)	△ Dinotefuran (0.05)	△ Epoxiconazole (0.01)	△ Ethoprophos (0.01)	△ Ethoxyquin (0.02)
△ Etofenprox (0.01)	△ Fenarimol (0.01)	△ Fenaziquin (0.01)	△ Fenhexamid (0.01)	△ Fenobucarb (0.01)	△ Fenthion (0.01)
△ Fipronil (0.01)	△ Fipronil (sum) ()	△ Fipronil-sulfide (0.01)	△ Fipronil-sulfone (0.01)	△ Fluazifop-P-butyl (0.01)	△ Fludioxonil (0.01)
△ Flusilazole (0.01)	△ FM-6-1 (metabolite triflumizole) (0.01)	△ Formetanate (0.05)	△ Hexaconazole (0.01)	△ Hexythiazox (0.01)	△ Imazallil (any ratio of constituent isomers) (0.01)
△ Imidacloprid (0.01)	△ Indoxacarb (sum, R+S isomers) (0.02)	△ Iprodione (0.01)	△ Iprovalicarb (0.01)	△ Isopropcarb (0.01)	△ Linuron (0.01)
△ Malathion (0.01)	△ Metalaxyl (0.01)	△ Methamidophos (0.02)	△ Methomyl (0.01)	△ Metolachlor (0.01)	△ Monocrotophos (0.01)
△ Myclobutanil (0.01)	△ Napropamide (0.01)	△ Neburon (0.01)	△ Omethoate (0.01)	△ Oxadixyl (0.01)	△ Oxydemeton-methyl (0.02)
△ Oxydemeton-methyl (sum) ()	△ Paraoxon-methyl (0.01)	△ Penconazole (0.01)	△ Pendimethalin (0.01)	△ Phorate (Sum) ()	△ Phorate-sulfone (0.01)
△ Phorate-sulfoxide (0.01)	△ Phosalone (0.01)	△ Phosmet (0.01)	△ Phoxim (0.01)	△ Piperonyl butoxide (0.01)	△ Pirimicarb (0.01)
△ Pirimiphos-methyl (0.01)	△ Prochloraz (0.01)	△ Propamocarb (Sum of propamocarb and its salts, exp (0.01)	△ Propargite (0.01)	△ Propham (0.01)	△ Propiconazole (sum of isomers) (0.01)
△ Propoxur (0.01)	△ Propyzamide (0.01)	△ Pyrethrins (0.01)	△ Pyridaben (0.01)	△ Pyrimethanil (0.01)	△ Quinoxifen (0.01)
△ Simazine (0.01)	△ Spiromesifen (0.01)	△ Tebuconazole (0.01)	△ Tebufenozide (0.01)	△ Tetraconazole (0.01)	△ Thiabendazole (0.01)
△ Thiaclorid (0.05)	△ Thiamethoxam (0.02)	△ Thiophanate-methyl (0.01)	△ Tolclofos-methyl (0.01)	△ Triadimenol (0.01)	△ Trichlorfon (0.01)
△ Tridemorph (0.01)	△ Triflumizol/FM-6-1 (Sum) ()	△ Triflumizole (0.01)	△ Zoxamide (0.01)		
SUS37 Pesticide Screening(GC) (117 parameters)(LOQ* mg/kg)					
△ 2-Phenylphenol (0.01)	△ Acetochlor (0.01)	△ Aldrin (0.01)	△ Ametryne (0.01)	△ Aramite (0.02)	△ Atrazine (0.01)
△ Bifenthrin (0.01)	△ Biphenyl (0.01)	△ Bromopropylate (0.01)	△ Butachlor (0.01)	△ Captan (0.05)	△ Captan/THPI (Sum calculated as Captan) ()
△ Chlordane (Sum) ()	△ Chlordane, alpha (0.01)	△ Chlordane, gamma (0.01)	△ Chlorgenapyr (0.03)	△ Chlorgenvinphos (0.01)	△ Chlorothalonil (0.01)
△ Chlorporifos-methyl (0.01)	△ Chlorthal-dimethyl (0.01)	△ Cyanophos (0.02)	△ Cyfluthrin (0.05)		


Eurofins Tech. Service (Suzhou) Co., Ltd.
 No. 101, Jialingjiang Road, SND
 Suzhou 215000
 Jiangsu Province, P.R.China


 Phone +86 400 828 5088
 Fax
www.eurofins.cn


Scan QR code to view report


 Deutsche
 Akkreditierungsstelle
 D-PL-14292-01-00

△ Cyhalothrin, lambda-(incl. Cyhalothrin, gamma-) (0.02)	△ Cypermethrin (0.05)	△ DDD, o,p'- (0.01)	△ DDD, p,p'- (0.01)	△ DDE, o,p'- (0.01)	△ DDE, p,p'- (0.01)
△ DDT (Sum) ()	△ DDT, o,p'- (0.01)	△ DDT, p,p'- (0.01)	△ Deltamethrin (0.02)	△ Dichlofluanid (0.01)	△ Dichlorobenzophenone o,p' (0.01)
△ Dichlorobenzophenone p,p' (0.01)	△ Dichlorvos (0.02)	△ Dicloran (0.02)	△ Dicofol (Sum) ()	△ Dicofol, o,p'- (0.02)	△ Dicofol, p,p'- (0.02)
△ Dieldrin (0.02)	△ Dieldrin (Sum) ()	△ Diphenylamine (0.01)	△ Endosulfan (Sum) ()	△ Endosulfan, alpha- (0.02)	△ Endosulfan, beta- (0.01)
△ Endosulfan, sulfat- (0.01)	△ Endrin (0.01)	△ EPN (0.01)	△ Ethion (0.01)	△ Etrimsos (0.01)	△ Famoxadone (0.02)
△ Fenamiphos (0.05)	△ Fenitrothion (0.01)	△ Fenpropothrin (0.01)	△ Fenvalerate & Esfenvalerate (Sum of RS&SR Isomers) (0.01)	△ Fenvalerate & Esfenvalerate(Sum of RR,SS,RS,SR) ()	△ Fenvalerate & Esfenvalerate(Sum of RR&SS Isomers) (0.01)
△ Flucythrinate (0.02)	△ Fluvalinate-tau (0.02)	△ Fonofos (0.01)	△ HCB (0.01)	△ HCH gamma(Lindan) (0.01)	△ HCH, alpha- (0.01)
△ HCH, beta- (0.01)	△ HCH, delta- (0.01)	△ HCH, epsilon- (0.01)	△ Heptachlor (0.01)	△ Heptachlor (Sum) ()	△ Heptachlor epoxide cis (0.01)
△ Heptachlor epoxide trans (0.01)	△ Heptenophos (0.01)	△ Iprobenfos (0.01)	△ Isazofos (0.01)	△ Isocarbophos (0.02)	△ Isofenphos (0.01)
△ Isofenphos-methyl (0.01)	△ Isoprotiolane (0.01)	△ Kresoxim-methyl (0.01)	△ Malaoxon (0.05)	△ Malathion (Sum) ()	△ Methidathion (0.02)
△ Methoxychlor (0.02)	△ Mevinphos (0.02)	△ Mirex (0.01)	△ Nitrothal-isopropyl (0.01)	△ Octachlorodipropyl ether (S-421) (0.02)	△ Paclobutrazol (0.01)
△ Parathion (0.01)	△ Parathion-methyl (0.01)	△ Parathion-methyl (Sum) ()	△ Pentachloroaniline (0.01)	△ Permethrin (0.02)	△ Phenthroate (0.02)
△ Phorate (0.02)	△ Pirimiphos-ethyl (0.01)	△ Procymidone (0.01)	△ Profenofos (0.01)	△ Prometryn (0.01)	△ Propanil (0.02)
△ Pyrazophos (0.01)	△ Pyridaphenthion (0.01)	△ Pyrifenoxy (0.01)	△ Pyrimethanil (0.01)	△ Quinalphos (0.01)	△ Quintozene (0.01)
△ Quintozene (Sum) ()	△ Tebufenpyrad (0.01)	△ Tecnazene (0.01)	△ Teffuthrin (0.01)	△ Terbufos (0.01)	△ Tetrachlorvinphos (0.01)
△ Tetradifon (0.01)	△ Tetrahydropthalimide (THPI) (0.05)	△ Tolylfluanid (0.01)	△ Triazophos (0.01)	△ Vincluzolin (0.01)	

SIGNATURE


Susie Geng
Authorized Signatory

EXPLANATORY NOTE

LOQ: Limit of Quantification

< LOQ: Below Limit of Quantification

N/A means Not applicable

Sum compounds results are calculated from the results of each quantified compound as set by regulation

The sample description and information are provided by the Client. Eurofins is not responsible for verifying the accuracy, relevancy, adequacy and/or completeness of the information provided by the Client.

The analytical result herein is applicable for the sample(s) tested only.

This analytical report shall not be excerpted or modified without prior written approval from Eurofins. The report shall be utilized in full.

The result(s) is(are) only for internal use by the client and not for publicly available as evidence. Without the written permission of Eurofins, any party is prohibited from using the test results and the report for publicity or promotions or marketing.

The Eurofins General Terms and Conditions apply to this analytical report.

For and on behalf of Eurofins Technology Service (Suzhou) Co., Ltd

 END OF REPORT



Scan QR code to view report